

Product datasheet

Specifications

CLIPSAL



Sunset Switch, Metal Clad, 3-Wire, 240VAC, 10A, 56 Series

56SSR/3-GY

Main

Range of product	Series 56
Range	Clipsal - 56 Series
Product brand	Clipsal
Product or component type	Sunset switch
Assembly Type	Basic element
Device application	Control
Colour	Enclosure: grey (RAL 7035) Cover: opal

Complementary

Control type	Electronic
Installation Type	Surface
Material	PVC (polyvinyl chloride) Polycarbonate
Installation direction	Horizontal Vertical
Local signalling	without
[Ue] rated operational voltage	250 V AC 50 Hz
Rated current	10 AX
Time delay range	2...12 h
Light intensity adjustment	20...500 lux
Marking	Without marking
Mounting Type	By screws
Surface finish	Gloss
Height	101 mm
Width	101 mm
Depth	70 mm
Cable entry	1 rear entry of 20...25 mm diameter
Quantity per set	Set of 1
Type of packing	Carton

Environment

Ambient air temperature for operation	45 °C
---------------------------------------	-------

IP degree of protection	IP66
Standards	AS/NZS 3133 AS/NZS 3100 IEC 60669-2-1

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	10.7 cm
Package 1 Width	10.5 cm
Package 1 Length	11.0 cm
Package 1 Weight	398.0 g
Unit Type of Package 2	CAR
Number of Units in Package 2	12
Package 2 Height	21.0 cm
Package 2 Width	34.8 cm
Package 2 Length	44.5 cm
Package 2 Weight	4.8 kg

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) 73

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Recycled metal content at CR level 0

Packaging made with recycled cardboard Yes

Packaging without single use plastic No

[EU RoHS Directive](#) Compliant

REACH Regulation [REACH Declaration](#)

Use Again

Repack and remanufacture

Circularity Profile [End of Life Information](#)

Take-back No