

*Fans for all seasons
...and reasons*



CLIPSAL[®]
ELECTRICAL ACCESSORIES



*Fans for all seasons
...and reasons*

AIRFLOW

mistral
O.ERRE

*Airflow, Mistral & O.ERRE
Fans and Ventilation Equipment*



*Airflow, Mistral & O.ERRE
Fans and Ventilation Equipment*



clipsal.com

Breathe Easy with Airflow, Mistral & O.ERRE

To be comfortable, to work efficiently and to enjoy their surroundings, people need a constant supply of healthy, fresh air.

That's why Clipsal brings you a choice of over 100 fans and ventilation equipment from three names that, for many years, have been synonymous with air movement products - Airflow, Mistral and O.ERRE.

From compact exhaust fans for removing cooking odours from kitchens to heavy-duty industrial models that expel fumes and stale air from work environments, there's no reason why anyone shouldn't enjoy healthy, clean air at home and at work.

In addition to many firm favourites like Airflow's domestic range of Ceiling Exhaust Fans - there are a large number of recent releases, including the revamped Sunshine En Suite and Petite, which feature a new slimline design and improved lighting.

Italian made O.ERRE Exhaust and Ventilation products, which were added to the Airflow and Mistral ranges only a number of years ago, also offer a superb selection of innovatively styled products for domestic and industrial applications.

Comfortably Quiet

All Airflow, Mistral and O.ERRE products are fitted with the highest quality electric motors and specially designed fan blades that ensure the quietest and most efficient operation possible.

Ceiling, Window & Wall Models

Airflow, Mistral and O.ERRE products are designed for easy installation with a choice of ceiling, window and wall models available.

Mounting Options

Ceiling

Fit discreetly into cavity type ceilings to efficiently exhaust air. Stylish, low profile flyproof grilles can be easily removed for cleaning. Decorative metal and timber models are included in the ceiling range to complement contemporary decor, while the Sunshine range of combination units provides total bathroom luxury.

Window

Easily installed and can be auto switched or pull-cord operated, they expel air directly outside while automatic shutters keep out dust and insects.

Wall

Airflow, Mistral and O.ERRE offer a wide range of wall mounted fans, from domestic fans with diameters of just 100mm, right through to heavy-duty industrial models. Double brick, brick veneer, timber and pre-cast concrete are just some of the wall constructions suitable for our wall mounted products.



Ducted Ventilation Systems

These systems are an excellent way of effectively and economically exhausting steam, smoke, stale air and odours outside homes, commercial premises and light industrial buildings.

They are also ideal for transferring heat from one room to another, maximising the comfort of occupants and the economy of the heating system.

The range features all of the ducting components required to design a system for the most common installations.



O.ERRE Electronic Fans

Italian made O.ERRE fans are at the forefront of European design with features that include the following:

Timers

Many O.ERRE fans include built-in timers to assist with ventilating rooms, even after they have been vacated. For those O.ERRE fans that don't have built-in timers, the OW3394 (Timermatic) is the solution. The Timermatic is a stand alone, self regulating timer that operates for up to 13 minutes and can be installed to control fans and other loads up to 200W.



Humidistat

The O.ERRE OW8641 has a built-in adjustable humidistat that operates automatically in areas that are subject to high humidity.



Sensors

The OW1216 and OW1224 feature a built-in infra-red sensor that replaces the need for a wall switch. The detection zone for these models to operate is a maximum of 8 metres.

Reversible Mode

The reversible mode on the Ventilor fans offers the option of extracting foul air and steam, or having fresh air delivered into your room from outside.

Other special features

Shutters

A number of fans in the range incorporate shutters that prevent the entry of annoying draughts and insects.

Ball Bearing Motors

Heavy-duty ball bearing motors are built into some fan models that are likely to be left running for long periods of time.

Wall Kits


All O.ERRE Wall Exhaust Fans are supplied as standard with wall fixing kits that include 450mm of flexible ducting; external grilles and fixing hardware. These products are easily identified as they are prefixed with the letters "WK", for example WK1372. The exhaust fans themselves can be purchased separately by replacing WK with OW. For example, WK1372 becomes OW1372.



The following pages feature just some of the ceiling, window and wall fans that are available in the Airflow, Mistral and O.ERRE ranges.

A comprehensive technical data catalogue containing our complete range of exhaust fans and ventilation equipment is due for release in late 2000.

*Breathe Easy with
Airflow, Mistral & O.ERRE*



Ceiling Exhaust Fans


Ceiling Exhaust Fans



CE250M
Approximate Air Delivery 568m³/hour
Power 45 Watts



CE250T
Approximate Air Delivery 568m³/hour
Power 45 Watts



CE200, CE250, 4XCE200, 4XCE250
Approximate Air Delivery
260-385m³/hour
Power 28-38 Watts



CEL200
Approximate Air Delivery 260m³/hour
Power 28 Watts (fan)



MCE175, MCE200, MCE250, MCE300
Approximate Air Delivery
224-666m³/hour
Power 22-52 Watts



6200-0, 6250-0
Approximate Air Delivery
375-568m³/hour
Power 45-50 Watts



6220-0
Approximate Air Delivery 800m³/hour
Power 45 Watts




6230-0
Approximate Air Delivery 660m³/hour
Power 54 Watts



6300-0
Approximate Air Delivery 329m³/hour
Power 45 Watts

Airflow Sunshine Combination Fan, Light and Heater Units

Airflow



6500A, 6800A
Approximate Air Delivery 338m³/hour
Power 1250-1650 Watts

Airflow



6600A, 6601A
Approximate Air Delivery 338m³/hour
Power 650-690 Watts
Light and Heater only (6601A)

Airflow Sunshine Combination Fan, Light and Heater Units



Wall Exhaust Fans

Wall Exhaust Fans

Airflow



AWE150
Approximate Air Delivery 132m³/hour
Power 30 Watts
Suits Most Types of Wall Construction

Airflow



BVWE200, BVWE250
Approximate Air Delivery
174-450m³/hour
Power 28-40 Watts
Suits Brick Veneer

Airflow



DBWE200, DBWE250
Approximate Air Delivery
174-450m³/hour
Power 28-40 Watts
Suits Double Brick

Airflow



SLWE200
Approximate Air Delivery 240m³/hour
Power 30 Watts
Suits Slimline Walls

Airflow



TWE250
Approximate Air Delivery
203/450m³/hour
Power 35/40 Watts
Suits Stud Walls

Mistral



6106-0, 6108-0
Approximate Air Delivery 260m³/hour
Power 45 Watts
Auto Switched (6106-0)
Pull-Cord Operation (6108-0)

Mistral



6109-0, 6110-0
Approximate Air Delivery 428m³/hour
Power 66 Watts
Brick Wall Mount (6109-0)
Timber Wall Mount (6110-0)

O.ERRE



WK8427
Approximate Air Delivery 155m³/hour
Power 30 Watts
Pull-Cord Operation

O.ERRE



WK1216, WK1224
Approximate Air Delivery
85-125m³/hour
Power 14-21 Watts
Infra-Red Sensor



WK1372, WK1414, WK1380, WK1422
Approximate Air Delivery
85-125m³/hour
Power 14-21 Watts
Infra-Red Sensor (WK1372)
Timer (WK1414 & WK1422)

WK1570, WK1612
Approximate Air Delivery
88-230m³/hour
Power 21-36 Watts

WK1851, WK1869, WK8450, WK8468
Approximate Air Delivery
90-230m³/hour
Power 14-45 Watts
Auto Shutters (WK1851/WK8450)
Timer (WK1869/WK8468)



WK1885, WK1901, WK1901A, WK1927
Approximate Air Delivery
450-750m³/hour
Power 50-60 Watts
Pull-Cord Shutters
Features Auto Shutters/Reversible

Wall Exhaust Fans



Ducted Fans

Ducted Fans

Airflow



CE100D Kit
Approximate Air Delivery 80m³/hour
Power 15 Watts
Duct Size 100mm

Airflow



CE150D, CE200D, CE250D Kits
Approximate Air Delivery
245-876m³/hour
Power 30-70 Watts

Airflow



**CE150AS, CE200AS, CE250AS,
CE150AS2, CE200AS2, CE250AS2**
Approximate Air Delivery
245-876m³/hour
Power 30-70 Watts
AS2 Series - 2 Speed

Airflow



RE150AS, RE200AS, RE250AS
Approximate Air Delivery
192-476m³/hour
Power 30-70 Watts

O.ERRE



OW1653
Approximate Air Delivery 150m³/hour
Power 80 Watts
Duct Size 100 and 125mm

O.ERRE



OW1844, OW1943, OW1950
Approximate Air Delivery
80-250m³/hour
Power 15-30 Watts
Duct Size 100, 120 & 150mm

O.ERRE



**OW4707, OW4715, OW4723,
OW4748, OW4756, OW4764**
Approximate Air Delivery
310-1250m³/hour
Power 70-220 Watts
Duct Size 100-315mm

O.ERRE



OW8542, OW8641
Approximate Air Delivery 250m³/hour
Power 95 Watts
Duct Size 100mm

O.ERRE



OW9201
Approximate Air Delivery 270m³/hour
Power 45 Watts
Duct Size 100 & 120mm

Ducted Fan Accessories

Ducted Fan Accessories

Airflow



CED100/3, CED125/3, CED150/6, CED200/6, CED250/6
Diameter 100-250mm
Length 3-6 metres
No Insulation

Airflow



CEID150/6, CEID200/6, CEID250/6
Diameter 150-250mm
Length 6 metres
Insulated

Airflow



CEB150, CEB200R, CEB250R
Branch Take Off (CEB150)
Reducing Type (CEB200R/CEB250R)
Dimensions 150 x 150 x 150mm
200 x 200 x 150mm
250 x 200 x 200mm

Airflow



CEB250T, CEDB250R
Through Reducing Type (CEB250T)
Dimensions 250 x 200 x 200mm
Double Reducing Type (CEDB250R)
Dimensions 250 x 200 x 150 x 150mm

Airflow



CERED200, CERED250
Reducers
Dimensions 200 to 150mm
250 to 200mm

Airflow



CEY150, CEY200R, CEY250R
Y Junctions
Dimensions 150 x 150 x 150mm
200 x 150 x 150mm
250 x 200 x 200mm

Airflow



CEDT10
Duct Tape
Dimensions 10 metres x 48mm

Airflow



CEDC20
Pack of 20 Duct Clips

O.ERRE



OW8005, OW8021, OW9078
Grilles
Hole Size 100-150mm

Ducted Fan Accessories

Ducted Fan Accessories



CEIL150, CEIL200, CEIL250
Inlet Grille - Round
Hole Size 147-250mm



CEEC150S, CEEC200S, CEEC250S
Egg Crate - Square
Hole Size 150-250mm



CEEC200R, CEEC250R
Egg Crate - Round
Hole Size 200-250mm



CEOL150, CEOL200, CEOL250
Outlet Louvres
Hole Size 150-245mm



OW8013, OW8039
Gravity Shutter
Hole Size 100-120mm



Cooling Fans

Cooling Fans

Airflow




ACES36AL, ACES48AL, ACES56AL
 Colour WE
 Diameter 900-1400mm
 Power 65 Watts
 Aluminium Blades
 Hangsure Mounting

Airflow



ACES36JAL, ACES48JAL, ACES56JAL
 Colour WE
 Diameter 900-1400mm
 Power 65 Watts
 Aluminium Blades
 J-Hook Mounting

Airflow



AFLR48
 Colour WE, BG
 Diameter 1200mm
 Power 60 Watts
 Rattan Timber Blades
 Hangsure Mounting

Mistral



1960-7, 1961-7
 Pedestal Fan (1960-7)
 Wall Mounting (1961-7)
 Diameter 610mm
 Power 120-200 Watts
 Oscillating

Cooling Fan Accessories



Cooling Fan Accessories

Airflow



DR30X1/2, DR30X1/2J, DR48X1/2
 Down Rods
 Colour WE, BG
 Length 760-1200mm
 Hangsure Mounting (DR30X1/2, DR48X1/2)
 J-Hook Mounting (DR30X1/2J)

Airflow



HSMK
 Mounting Kits
 Colour WE, BG

Airflow



OYWHT, OYBEI
 Light Kits
 Colour WE (OYWHT) BG (OYBEI)

WE (White Electric) BG (Beige)

Industrial Fans

Industrial Fans



6400-9, 6402-9
 Approximate Air Delivery
 1350-2368m³/hour
 Power 80-150 Watts
 Reverse Air



6401-9, 6403-9
 Approximate Air Delivery
 1350-2368m³/hour
 Power 80-150 Watts
 Forward Air



EB254M, EB304M, EB404M, EB504M
 Approximate Air Delivery
 900-4500m³/hour
 Power 75-230 Watts
 Single Phase



EB304T, EB404T, EB504T
 Approximate Air Delivery
 1500-4500m³/hour
 Power 60-230 Watts
 Three Phase



OW4012, OW4020, OW5845
 Approximate Air Delivery
 45-318m³/hour
 Power 10-35 Watts
 Cast Aluminium



OW9763, OW9813, OW9920
 Approximate Air Delivery
 42-360m³/hour
 Power 15-70 Watts
 PVC



Industrial Fan Accessories

Industrial Fan Accessories

O.ERRE

OW6439
Cabinet Fan Filter and Grille
Suits OW4020

O.ERRE

OW1083, OW1091, OW6421
Cabinet Fan Protective Grille
Suits OW4012 (OW1083)
OW4020 (OW1091)
OW5845 (OW6421)

O.ERRE

OW5951, OW5969, OW5985, OW5993
EB Wall Plate Fan Protective Grille
Suits EB254 Series (OW5951)
EB304 Series (OW5969)
EB404 Series (OW5985)
EB504 Series (OW5993)

O.ERRE

OW6025, OW6033, OW6058, OW6066
EB Wall Plate Fan Gravity Shutter
Suits EB254 Series (OW6025)
EB304 Series (OW6033)
EB404 Series (OW6058)
EB504 Series (OW6066)

O.ERRE

OW3394
Timermatic
Self Regulating Timer
Rating 200 Watt

O.ERRE

OW8146, OW8152
100mm Locking Ring (OW8146)
120mm Locking Ring (OW8152)

O.ERRE

OW8047
Ventilor Double Glazing Kit

O.ERRE

OW9128
Ventilor 3 Speed Reversible Control

Note: More Industrial Fans are available to special order.

Window Exhaust Fans

Window Exhaust Fans

Airflow



WE200, WE250
 Approximate Air Delivery
 174-450m³/hour
 Power 28-40 Watts
 Pull-Cord Operation

Mistral



6105-0, 6107-0
 Approximate Air Delivery 260m³/hour
 Power 45 Watts
 Pull-Cord Operation

Mistral



6111-0
 Approximate Air Delivery 490m³/hour
 Power 66 Watts
 Auto Shutters

O.ERRE



OW1109, OW1117, OW1125, OW8427
 Approximate Air Delivery
 68-155m³/hour
 Power 20-40 Watts
 Auto Shutters
 Pull-Cord Operation (OW8427)

O.ERRE



OW1885, OW1901, OW1901A, OW1927
 Approximate Air Delivery
 450-750m³/hour
 Power 50-60 Watts
 Auto Shutters/Reversible
 Pull-Cord Operation (OW1885)

Window Exhaust Fans



clipsal.com

Products of Gerard Industries Pty Ltd

ABN 27 007 873 529

Head Office

12 Park Terrace, Bowden
South Australia 5007
Telephone (08) 8269 0511
Facsimile (08) 8340 1724
Internet clipsal.com.au
Internet alfredonline.com.au
E-Mail plugin@clipsal.com.au

Offices in all States

NSW	Sydney	(02) 9794 9200
	Albury	(02) 6041 2377
VIC	Melbourne	(03) 9207 3200
	Country Areas	1800 653 893
QLD	Brisbane	(07) 3244 7444
	Townsville	(07) 4729 3333
SA	Adelaide	(08) 8269 0555
WA	Perth	(08) 9442 4444
TAS	Hobart	(03) 6272 3177
	Launceston	(03) 6331 6951
NT	Darwin	(08) 8947 0278

New Zealand

Clipsal Industries (NZ) Ltd Auckland

Telephone (09) 576 3403
Facsimile (09) 576 1015
E-Mail headoffice@clipsal.co.nz

Customer Service

Free Fax (0508) 250 305
Auckland/Mobile Phone (09) 572 0014
Free Phone (0508) CLIPSAL

2 5 4 7 7 2 5

International Enquiries

Head Office Export Department

Telephone +61 8 8269 0587
Facsimile +61 8 8340 7350
Internet export@clipsal.com.au