

**6.0kW window/wall cooling only air conditioner with modern design, remote control, auto swing, timer, sleep mode, gold shield external & blue shield internal corrosion resistant heat exchangers and auto restart.**



## Product Details

### FEATURES

---

Cooling only operation  
Combined with  
dehumidification and fan only  
modes ensures comfort in  
your home

Remote control with  
luminescent keypad  
Remote control with  
luminescent keypad

5 year comprehensive  
residential warranty  
Refer to the warranty terms  
and conditions in the brochure  
or on the product's warranty  
card

Air swing auto/manual

---

24 hour timer  
Program your air conditioner  
to turn on and off  
automatically

Sleep mode

Manual operation

Auto restart  
In the event of an interruption  
in power supply the unit will  
restart with the same settings  
that were selected prior to the  
power outage

---

### BENEFITS

---

Be cool in no time at all  
Ever popular, window/wall models give you the comfort of  
reverse cycle air conditioning without the need for expensive  
installation. In fact, some models are so relatively easy to  
install you could even do it yourself.

Simple, economic and reliable  
Because there are no separate indoor and outdoor units, its  
easier to install a window wall cooling only model. And because  
its a Kelvinator, you know it is reliable and built to last.

---

Compact  
The super compact design means that window wall cooling only  
air conditioners are discreet and unobtrusive in your home.  
They are also perfect for cooling smaller family homes and  
space-restricted areas.

Control from your armchair  
The remote control unit lets you conveniently control all  
functions

---

Fresh air delivery  
The fresh air return provides additional ventilation to your room  
and can also assist in humidity control. The easy-to-service  
dust filter removes dust and other larger airborne particles for  
cleaner air.

---

## Specifications

### PRODUCT PROFILE

---

Domestic warranty details (yrs)	5
---------------------------------	---

---

### SPECIFICATIONS

---

Capacity cool watts	6000
---------------------	------

---

Current rating amps	15 amps
---------------------	---------

---

Service cord length	1
---------------------	---

---

Colour of fascia	white
------------------	-------

---

Compressor type	rotary
-----------------	--------

---

Indoor sound pressure dBA high setting	55
--	----

---

Indoor sound pressure dBA low setting	51
---------------------------------------	----

---

Outdoor sound pressure dBA	62
----------------------------	----

---

Indoor air circulation max (ltr/s)	239
------------------------------------	-----

---

Ambient temperature range minimum	18
-----------------------------------	----

---

Ambient temperature range maximum	46
-----------------------------------	----

---

Moisture removal ltr/hour	2.2
---------------------------	-----

---

## SPECIFICATIONS

---

New Energy star rating cooling	2
--------------------------------	---

---

Cooling EER	3.31
-------------	------

---

Refrigerant weight (g)	780
------------------------	-----

---

Refrigerant type	R32
------------------	-----

---

Outdoor Sound Power dBA	72
-------------------------	----

---

## FEATURES

---

Filtration	dust
------------	------

---

Remote control type	luminescent keypad,LCD
---------------------	------------------------

---

Timer	24 hour
-------	---------

---

Fan speeds	low,medium,high,Auto
------------	----------------------

---

## DIMENSIONS

---

Total height (mm)	428
-------------------	-----

---

Total width (mm)	660
------------------	-----

---

Total depth (mm)	770
------------------	-----

---

## PACKED DIMENSIONS

---

Shipping Volume (m3)	0.32
----------------------	------

---

Shipping Weight (Kg)	65
----------------------	----

---

Pack Dimensions Height (mm)	505
-----------------------------	-----

---

## STUFFING QUANTITIES

---

20ft	76
------	----

---

40ft	164
------	-----

---

40ft HC	205
---------	-----

---

## PACKED DIMENSIONS

---

Pack Dimension Width (mm)	739
------------------------------	-----

---

Pack Dimension Depth (mm)	863
------------------------------	-----

---

## Terms and Conditions

### IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

### PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

### WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

#### ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: [customercare@electrolux.com.au](mailto:customercare@electrolux.com.au)

web: [www.electrolux.com.au](http://www.electrolux.com.au)

#### ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: [customercare@electrolux.co.nz](mailto:customercare@electrolux.co.nz)

web: [www.electrolux.co.nz](http://www.electrolux.co.nz)